

Some questions (Assertion–Reason type) are given below. Each question contains **Statement – 1 (Assertion)** and **Statement – 2 (Reason)**. Each question has 4 choices (A), (B), (C) and (D) out of which **ONLY ONE** is correct. So select the correct choice : **Choices are :**

- (A) **Statement – 1** is True, **Statement – 2** is True; **Statement – 2** is a correct explanation for **Statement – 1**.
 (B) **Statement – 1** is True, **Statement – 2** is True; **Statement – 2** is **NOT** a correct explanation for **Statement – 1**.
 (C) **Statement – 1** is True, **Statement – 2** is False.
 (D) **Statement – 1** is False, **Statement – 2** is True.
- 253.** Tangents are drawn from the origin to the circle $x^2 + y^2 - 2hx - 2hy + h^2 = 0$ ($h \geq 0$)
Statement 1: Angle between the tangents is $\pi/2$
Statement 2: The given circle is touching the co-ordinate axes.
- 254.** Consider two circles $x^2 + y^2 - 4x - 6y - 8 = 0$ and $x^2 + y^2 - 2x - 3 = 0$
Statement 1: Both circles intersect each other at two distinct points
Statement 2: Sum of radii of two circles is greater than distance between the centres of two circles
- 255.** C_1 is a circle of radius 2 touching x–axis and y–axis. C_2 is another circle of radius greater than 2 and touching the axes as well as the circle C_1 .
Statement–1 : Radius of circle $C_2 = \sqrt{2}(\sqrt{2} + 1)(\sqrt{2} + 2)$
Statement–2 : Centres of both circles always lie on the line $y = x$.
- 256.** From the point $P(\sqrt{2}, \sqrt{6})$, tangents PA and PB are drawn to the circle $x^2 + y^2 = 4$.
Statement–1 : Area of the quadrilateral OAPB (obeying origin) is 4.
Statement–2 : Tangents PA and PB are perpendicular to each other and therefore quadrilateral OAPB is a square.
- 257.** **Statement–1 :** Tangents drawn from ends points of the chord $x + ay - 6 = 0$ of the parabola $y^2 = 24x$ meet on the line $x + 6 = 0$
Statement–2 : Pair of tangents drawn at the end points of the parabola meets on the directrix of the parabola
- 258.** **Statement–1 :** Number of focal chords of length 6 units that can be drawn on the parabola $y^2 - 2y - 8x + 17 = 0$ is zero **Statement–2 :** Lotus rectum is the shortest focal chord of the parabola
- 259.** **Statement–1 :** Centre of the circle having $x + y = 3$ and $x - y = 1$ as its normal is (1, 2).
Statement–2 : Normals to the circle always passes through its centre.
- 260.** **Statement–1 :** The number of common tangents to the circle $x^2 + y^2 = 4$ and $x^2 + y^2 - 6x - 8y - 24 = 0$, is one
Statement–2 : If $C_1C_2 = |r_1 - r_2|$, then number of common tangents is three. Where $C_1C_2 =$ Distance between the centres at both the circle and r_1, r_2 are the radius of the circle respectively
- 261.** **Statement–1 :** The circle having equation $x^2 + y^2 - 2x + 6y + 5 = 0$ intersects both the coordinate axes.
Statement–2 : The lengths of x and y intercepts made by the circle having equation $x^2 + y^2 + 2gx + 2fy + c = 0$ are $2\sqrt{g^2 - c}$ and $2\sqrt{f^2 - c}$ respectively.
- 262.** **Statement–1 :** The number of circles that pass through the points (1, – 7) and (– 5, 1) and of radius 4, is two.
Statement–2 : The centre of any circle that pass through the points A and B lies on the perpendicular bisector of AB.
- 263.** The line OP and OQ are the tangents from (0, 0) to the circle $x^2 + y^2 + 2gx + 2fy + c = 0$.
Statement–1 : Equation of PQ is $fx + gy + c = 0$.
Statement–2 : Equation of circle OPQ is $x^2 + y^2 + gx + fy = 0$.
- 264.** **Statement–1 :** $x^2 + y^2 + 2xy + x + y = 0$ represent circle passing through origin.
Statement–2 : Locus of point of intersection of perpendicular tangent is a circle
- 265.** **Statement–1 :** Equation of circle touching x–axis at (1, 0) and passing through (1, 2) is $x^2 + y^2 - 2x - 2y + 1 = 0$
Statement–2 : If circle touches both the axis then its center lies on $x^2 - y^2 = 0$
- 266.** **Statement-1:** Let C be any circle with centre $(0, \sqrt{2})$ has at the most two rational points on it

- Statement-2:** A straight line cuts a circle at atmost two points
267. Tangents are drawn from each point on the line $2x + y = 4$ to the circle $x^2 + y^2 = 1$
Statement-1: The chords of contact passes through a fixed point
Statement-2: Family of lines $(a_1x + b_1y + c_1) + k(a_2x + b_2y + c_2) = 0$ always pass through a fixed point.
268. **Statement-1:** The common tangents of the circles $x^2 + y^2 + 2x = 0$ and $x^2 + y^2 - 6 = 0$ form an equilateral triangle
Statement-2: The given circles touch each other externally.
269. **Statement-1:** The circle described on the segment joining the points $(-2, -1)$, $(0, -3)$ as diameter cuts the circle $x^2 + y^2 + 5x + y + 4 = 0$ orthogonally
Statement-2: Two circles $x^2 + y^2 + 2g_1x + 2f_1y + c_1 = 0$ $x^2 + y^2 + 2g_2x + 2f_2y + c_2 = 0$ orthogonally if $2g_1g_2 + 2f_1f_2 = c_1 + c_2$
270. **Statement-1 :** The equation of chord of the circle $x^2 + y^2 - 6x + 10y - 9 = 0$, which is bisected at $(-2, 4)$ must be $x + y - 2 = 0$.
Statement-2:In notations, the equation of the chord of the circle $S = 0$ bisected at (x_1, y_1) must be $T = S_1$.
271. **Statement-1 :** If two circles $x^2 + y^2 + 2gx + 2fy = 0$ and $x^2 + y^2 + 2g'x + 2f'y = 0$ touch each other, then $f'g = fg'$
Statement-2 : Two circles touch other, if line joining their centres is perpendicular to all possible common tangents.
272. **Statement-1 :** Number of circles passing through $(1, 2)$, $(4, 7)$ and $(3, 0)$ is one.
Statement-2 : One and only circle can be made to pass through three non-collinear points.
273. **Statement-1 :** The chord of contact of tangent from three points A, B, C to the circle $x^2 + y^2 = a^2$ are concurrent, then A, B, C will be collinear.
Statement-2 : A, B, C always lies on the normal to the circle $x^2 + y^2 = a^2$
274. **Statement-1 :** Circles $x^2 + y^2 = 144$ and $x^2 + y^2 - 6x - 8y = 0$ do not have any common tangent.
Statement-2 : If one circle lies completely inside the other circle then both have no common tangent.
275. **Statement-1 :** The equation $x^2 + y^2 - 2x - 2ay - 8 = 0$ represents for different values of 'a' a system of circles passing through two fixed points lying on the x-axis.
Statement-2 : $S = 0$ is a circle & $L = 0$ is a straight line, then $S + \lambda L = 0$ represents the family of circles passing through the points of intersection of circle and straight line. (where λ is arbitrary parameter).
276. **Statement-1 :** Lengths of tangent drawn from any point on the line $x + 2y - 1 = 0$ to the circles $x^2 + y^2 - 16 = 0$ & $x^2 + y^2 - 4x - 8y - 12 = 0$ are equal
Statement-2 : Director circle is locus of point of intersection of perpendicular tangents.
277. **Statement-1 :** One & only one circle can be drawn through three given points
Statement-2 : Every triangle has a circumcircle.
278. **Statement-1 :** The circles $x^2 + y^2 + 2px + r = 0$, $x^2 + y^2 + 2qy + r = 0$ touch if $\frac{1}{p^2} + \frac{1}{q^2} = \frac{1}{r}$
Statement-2 : Two circles with centre C_1, C_2 and radii r_1, r_2 touch each other if $r_1 \pm r_2 = c_1c_2$
279. **Statement-1 :** The equation of chord of the circle $x^2 + y^2 - 6x + 10y - 9 = 0$ which is bisected at $(-2, 4)$ must be $x + y - 2 = 0$
Statement-2 : In notations the equation of the chord of the circle $s = 0$ bisected at (x_1, y_1) must be $T = S_1$.
280. **Statement-1 :** The equation $x^2 + y^2 - 4x + 8y - 5 = 0$ represent a circle.
Statement-2 : The general equation of degree two $ax^2 + 2hxy + by^2 - 2gx + 2fy + c = 0$ represents a circle, if $a = b$ & $h = 0$. circle will be real if $g^2 + f^2 - c \geq 0$.
281. **Statement-1 :** The least and greatest distances of the point $P(10, 7)$ from the circle $x^2 + y^2 - 4x - 2y - 20 = 0$ are 5 and 15 units respectively.
Statement-2 : A point (x_1, y_1) lies outside a circle $s = x^2 + y^2 + 2gx + 2fy + c = 0$ if $s_1 > 0$ where $s_1 = x_1^2 + y_1^2 + 2gx_1 + 2fy_1 + c$.
282. **Statement-1 :** The point $(a, -a)$ lies inside the circle $x^2 + y^2 - 4x + 2y - 8 = 0$ when ever $a \in (-1, 4)$

Statement-2 : Point (x_1, y_1) lies inside the circle $x^2 + y^2 + 2gx + 2fy + c = 0$, if $x_1^2 + y_1^2 + 2gx_1 + 2fy_1 + c < 0$.

283. **Statement-1 :** If $n \geq 3$ then the value of n for which n circles have equal number of radical axes as well as radical centre is 5.

Statement-2 : If no two of n circles are concentric and no three of the centres are collinear then number of possible radical centre = nC_3 .

284. **Statement-1 :** Two circles $x^2 + y^2 + 2ax + c = 0$ and $x^2 + y^2 + 2by + c = 0$ touches if $\frac{1}{a^2} + \frac{1}{b^2} = \frac{1}{c}$

Statement-2 : Two circles centres c_1, c_2 and radii r_1, r_2 touches each other if $r_1 \pm r_2 = c_1c_2$.

285. **Statement-1 :** Number of point $(a + 1, \sqrt{3}a)$ $a \in I$, lying inside the region bounded by the circles $x^2 + y^2 - 2x - 3 = 0$ and $x^2 + y^2 - 2x - 15 = 0$ is 1.

Statement-2 : Sum of squares of the lengths of chords intercepted by the lines $x + y = n$, $n \in N$ on the circle $x^2 + y^2 = 4$ is 18.

- | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|
| 253. A | 254. B | 255. D | 256. A | 257. A | 258. A | 259. D |
| 260. C | 261. D | 262. D | 263. D | 264. D | 265. A | 266. A |
| 267. A | 268. A | 269. A | 270. D | 271. C | 272. D | 273. C |
| 274. A | 275. A | 276. B | 277. A | 278. A | 279. D | 280. A |
| 281. B | 282. A | 283. A | 284. A | 285. B | | |

**for 39 Yrs. Que. of IIT-JEE
 &
 15 Yrs. Que. of AIEEE
 we have distributed
 already a book**